

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: mf_jc_jc014_0m

Bond precision: C-C = 0.0051 A

Wavelength=0.71073

Cell: a=7.3942(4) b=12.9514(7) c=13.1842(6)
 alpha=99.602(1) beta=97.876(1) gamma=96.109(2)
Temperature: 296 K

	Calculated	Reported
Volume	1222.31(11)	1222.31(11)
Space group	P -1	P -1
Hall group	-P 1	-P 1
Moiety formula	C25 H22 Cu N2 O4, C H2 Cl2	C25 H22 Cu N2 O4, C H2 Cl2
Sum formula	C26 H24 Cl2 Cu N2 O4	C26 H24 Cl2 Cu N2 O4
Mr	562.92	562.91
Dx,g cm-3	1.530	1.529
Z	2	2
Mu (mm-1)	1.149	1.149
F000	578.0	578.0
F000'	579.43	
h,k,lmax	9,16,16	9,16,16
Nref	5060	5030
Tmin,Tmax	0.714,0.957	0.661,0.745
Tmin'	0.685	

Correction method= # Reported T Limits: Tmin=0.661 Tmax=0.745
AbsCorr = MULTI-SCAN

Data completeness= 0.994

Theta(max)= 26.472

R(reflections)= 0.0455(4009)

wR2(reflections)= 0.1287(5030)

S = 1.089

Npar= 318

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

PLAT244_ALERT_4_C Low 'Solvent' Ueq as Compared to Neighbors of C26 Check



Alert level G

PLAT093_ALERT_1_G No s.u.'s on H-positions, Refinement Reported as mixed Check
PLAT789_ALERT_4_G Atoms with Negative _atom_site_disorder_group # 5 Check

-
- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
1 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
2 **ALERT level G** = General information/check it is not something unexpected
- 1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
0 ALERT type 2 Indicator that the structure model may be wrong or deficient
0 ALERT type 3 Indicator that the structure quality may be low
2 ALERT type 4 Improvement, methodology, query or suggestion
0 ALERT type 5 Informative message, check
-

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

