

Table 3: Hemodynamic, electrocardiogram and echocardiographic data.

	Total	MRS*	MRS*	p
	(n=134)	0 to 3	4 to 6	
		(n=71)	(n=63)	
Heart rate, rate/min	74 (63-88)	74 (62-85)	74 (65-95)	0.280
Mean arterial pressure, mmHg	90 (80-101)	90 (80-100)	91 (80-101)	0.483
Catecholamines use	53 (40%)	24 (34%)	29 (46%)	0.340
Norepinephrine	46 (34%)	22 (31%)	24 (38%)	
Dobutamine	6 (4%)	2 (3%)	4 (6%)	
Epinephrine	1 (1%)	0	1 (2%)	
Electrocardiogram (n=131)				
ST segment elevation or depression	14 (11%)	7 (10%)	7 (11%)	0.785
Negative T wave	23 (18%)	11 (16%)	12 (20%)	0.553
Atrial fibrillation	5 (4%)	2 (3%)	3 (5%)	0.663
Left block branch	6 (5%)	3 (4%)	3 (5%)	1.000
Echocardiography (n=98)				
LVEF [§] < 50%	16 (16%)	6 (11%)	10 (22%)	0.160

Values are expressed as median (interquartile range 25-75) or n (percentage). *MRS: modified Rankin Scale. [§]LVEF: Left ventricular ejection fraction.